

# PRODUCT REFERENCE CHART

	FEATURES	APPLICATIONS	MIL & TYPE	COLORS
CSPE <i>(Hypalon)</i>	<ul style="list-style-type: none"> <li>• 20-30 year warranties available</li> <li>• Large panel fabrication</li> <li>• UV &amp; ozone resistance</li> <li>• High resistance to a range of organic and inorganic chemicals</li> <li>• NSF approved for potable water applications</li> <li>• Excellent elongation</li> <li>• Retains flexibility in the freeze/thaw conditions</li> </ul>	<ul style="list-style-type: none"> <li>• Industrial waste</li> <li>• Pond &amp; lake liners</li> <li>• Baffle curtains</li> <li>• Drop-in tank liners</li> <li>• Large tank liners</li> <li>• Clearwells</li> <li>• Bladder bags</li> <li>• Exposed lagoons</li> <li>• Reservoirs</li> <li>• Water storage</li> <li>• Floating covers</li> <li>• Golf course ponds &amp; lakes</li> <li>• Potable water storage</li> </ul>	<ul style="list-style-type: none"> <li>• 36 mil</li> <li>• 45 mil</li> <li>• 60 mil</li> <li>• 90 mil</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• Tan</li> <li>• Gray</li> <li>• White</li> <li>• Blue</li> <li>• Custom colors available with minimum quantities</li> </ul>
EPDM	<ul style="list-style-type: none"> <li>• 20 year warranty</li> <li>• Soil covering not required</li> <li>• Excellent UV stability</li> <li>• Easily repaired</li> <li>• Excellent elongation</li> <li>• Large panel fabrication</li> </ul>	<ul style="list-style-type: none"> <li>• Decorative Ponds &amp; Lakes</li> <li>• Water Features</li> <li>• Fish Hatcheries</li> <li>• Reservoirs</li> <li>• Landfill Caps</li> <li>• Waste Water Treatment Facilities</li> <li>• Golf Course Ponds</li> <li>• Streams</li> <li>• Irrigation Ponds</li> <li>• Canals &amp; Channels</li> <li>• Aquatic Habitats</li> <li>• Storm Water Holding Basins</li> <li>• Detention &amp; Retention Ponds</li> </ul>	<ul style="list-style-type: none"> <li>• 45 mil</li> <li>• 60 mil</li> </ul>	<ul style="list-style-type: none"> <li>• Dark Gray</li> </ul>
GCL	<ul style="list-style-type: none"> <li>• Self healing</li> <li>• High plasticity</li> <li>• Great secondary protection</li> <li>• Easy installation</li> <li>• Wetlands alternative</li> <li>• Large product family</li> </ul>	<ul style="list-style-type: none"> <li>• Landfill liner &amp; covers</li> <li>• Pond &amp; lake liners</li> <li>• Secondary containment</li> <li>• Underlayment for poor subsurface</li> <li>• Canals</li> <li>• Stormwater retention</li> </ul>	<ul style="list-style-type: none"> <li>• Bentomat ST</li> <li>• Bentomat CL</li> <li>• Bentomat DN</li> <li>• Bentomat</li> <li>• Claymax 600CL</li> <li>• Claymax 200R</li> </ul>	
Geocomposite	<ul style="list-style-type: none"> <li>• Lateral movement of liquids</li> <li>• Excellent underlayment</li> <li>• Gas ventilation systems</li> <li>• Boulder pads</li> </ul>	<ul style="list-style-type: none"> <li>• Slope protection</li> <li>• Wave damage protection</li> <li>• Excellent edge protection</li> <li>• Reinforcement of turf</li> </ul>	Single or double sided with varying thicknesses for textiles & nets	<ul style="list-style-type: none"> <li>• Black</li> </ul>
Geotextile	<ul style="list-style-type: none"> <li>• Effective in most soils</li> <li>• Extends road &amp; railway life</li> <li>• Prevents fouling of ballast (railroad tracks)</li> <li>• Excellent chemical compatibility</li> <li>• Stabilizes sub grades</li> </ul>	<ul style="list-style-type: none"> <li>• Subsurface drainage</li> <li>• Railroad stabilization</li> <li>• Asphalt overlay</li> <li>• Gas venting</li> <li>• Roadway separation</li> <li>• Hard armor underlayment</li> <li>• Geomembrane protection</li> <li>• Drainage systems</li> </ul>	<ul style="list-style-type: none"> <li>• 6 oz</li> <li>• 8 oz</li> <li>• 10 oz</li> <li>• 12 oz</li> <li>• 16 oz</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> </ul>
Geoweb	<ul style="list-style-type: none"> <li>• Exclusive engineering backup design review</li> <li>• Variety of lengths, cell depths &amp; cell sizes</li> <li>• Perforated &amp; non-perforated</li> <li>• High strength anchor system &amp; tendons</li> </ul>	<ul style="list-style-type: none"> <li>• Dam faces</li> <li>• Slope &amp; soil stabilization</li> <li>• Wildlife escape ramps</li> <li>• Access roads</li> <li>• Parking lots</li> <li>• Cart paths</li> <li>• Liner protection</li> </ul>	<ul style="list-style-type: none"> <li>• 3 inch deep</li> <li>• 4 inch deep</li> <li>• 6 inch deep</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• Tan</li> <li>• Green</li> <li>• Other colors with no heavy metal content</li> </ul>

# PRODUCT REFERENCE CHART

	FEATURES	APPLICATIONS	MIL & TYPE	COLORS
HDPE	<ul style="list-style-type: none"> <li>• Standard 5 year warranty, 20 year warranty available</li> <li>• UV &amp; ozone resistance</li> <li>• Good chemical resistance</li> <li>• Soil cover not required</li> <li>• Thicknesses ranging from 20 to 100 mils</li> <li>• Certified installation crews required for installation</li> <li>• Textured versions available</li> <li>• Conductive version for electronic leak testing available</li> </ul>	<ul style="list-style-type: none"> <li>• Landfill liners &amp; caps</li> <li>• Animal waste lagoons</li> <li>• Golf course ponds</li> <li>• Gas collection covers</li> <li>• Pond &amp; lake liners</li> <li>• Irrigation reservoirs</li> <li>• Waste water treatment lagoons</li> <li>• Mining tailing &amp; heap leach pads</li> <li>• Canal lining</li> </ul>	<ul style="list-style-type: none"> <li>• 20 mil</li> <li>• 30 mil</li> <li>• 40 mil</li> <li>• 60 mil</li> <li>• 80 mil</li> <li>• 100 mil</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• White</li> <li>• Green</li> <li>• Custom colors available with minimum quantities</li> </ul>
LLDPE	<ul style="list-style-type: none"> <li>• UV stable</li> <li>• Chemical resistance</li> <li>• Flexible</li> <li>• Available in custom sized panels</li> <li>• Cost effective</li> <li>• Wide product range</li> <li>• High puncture resistance</li> </ul>	<ul style="list-style-type: none"> <li>• Decorative ponds &amp; lakes</li> <li>• Landfill liner &amp; caps</li> <li>• Golf course ponds</li> <li>• Landfill caps</li> <li>• Pond &amp; lake liners</li> <li>• Drop-in tank liners</li> <li>• Irrigation reservoirs</li> <li>• Containment pits</li> <li>• Mining heap leach pads</li> <li>• Secondary containment</li> </ul>	<ul style="list-style-type: none"> <li>• 20 mil</li> <li>• 30 mil</li> <li>• 40 mil</li> <li>• 60 mil</li> <li>• 80 mil</li> <li>• 100 mil</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• White</li> <li>• Custom colors available with minimum quantities</li> </ul>
PVC	<ul style="list-style-type: none"> <li>• 20 year warranty</li> <li>• Large panel fabrication</li> <li>• Cost effective</li> <li>• Easily installed</li> <li>• Seamed with adhesives</li> <li>• Very flexible</li> <li>• Conforms well to sub-grade contours</li> <li>• Available in fish grade, reinforced, high temperature &amp; oil resistant options</li> </ul>	<ul style="list-style-type: none"> <li>• Decorative Ponds &amp; Lakes</li> <li>• Water Features</li> <li>• Fish Hatcheries</li> <li>• Reservoirs</li> <li>• Landfill Caps</li> <li>• Waste Water Treatment Facilities</li> <li>• Golf Course Ponds</li> <li>• Streams</li> <li>• Irrigation Ponds</li> <li>• Canals &amp; Channels</li> <li>• Aquatic Habitats</li> <li>• Storm Water Holding Basins</li> <li>• Detention &amp; Retention Ponds</li> </ul>	<ul style="list-style-type: none"> <li>• 20 mil</li> <li>• 30 mil</li> <li>• 40 mil</li> <li>• 60 mil</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• Gray</li> <li>• Custom colors available with minimum quantities</li> </ul>
RPE	<ul style="list-style-type: none"> <li>• Superior UV &amp; ozone resistance</li> <li>• Excellent chemical resistance</li> <li>• Soil covering not required</li> <li>• Excellent weatherability</li> <li>• Quick installation</li> <li>• Exceptional tear &amp; tensile strength</li> </ul>	<ul style="list-style-type: none"> <li>• Decorative ponds &amp; lakes</li> <li>• Water features</li> <li>• Agriculture</li> <li>• Reservoirs</li> <li>• Irrigation ponds</li> <li>• Floating covers</li> <li>• Canals &amp; channels</li> <li>• Golf course ponds</li> <li>• Lakes &amp; streams</li> <li>• Tank lining</li> <li>• Secondary containment</li> <li>• Mining tailings</li> <li>• Waste water treatment facilities</li> </ul>	<ul style="list-style-type: none"> <li>• 30 mil</li> <li>• 36 mil</li> <li>• 45 mil</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• Tan</li> <li>• White</li> <li>• Green</li> <li>• Custom colors available with minimum quantities</li> </ul>

# PRODUCT REFERENCE CHART

	FEATURES	APPLICATIONS	MIL & TYPE	COLORS
RPP	<ul style="list-style-type: none"> <li>• Soil covering not required</li> <li>• Excellent UV stability &amp; ozone resistance</li> <li>• Large panel fabrication</li> <li>• Approved for potable water applications</li> <li>• Plasticizer-free</li> <li>• Very flexible</li> <li>• No environmental stress cracking</li> <li>• Long lasting</li> </ul>	<ul style="list-style-type: none"> <li>• Decorative ponds &amp; lakes</li> <li>• Water features</li> <li>• Mine tailings</li> <li>• Reservoirs</li> <li>• Tank linings</li> <li>• Waste water treatment facilities</li> <li>• Floating covers</li> <li>• Golf course ponds</li> <li>• Lakes &amp; streams</li> <li>• Irrigation ponds</li> <li>• Canals &amp; channels</li> <li>• Secondary containment</li> <li>• Oil field pit liners</li> <li>• Evaporation pond liners</li> <li>• Detention &amp; retention ponds</li> </ul>	<ul style="list-style-type: none"> <li>• 36 mil</li> <li>• 45 mil</li> <li>• 60 mil</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• Tan</li> <li>• White</li> <li>• Green</li> <li>• Custom colors available with minimum quantities</li> </ul>
Spray Liner	<ul style="list-style-type: none"> <li>• All natural</li> <li>• VOC &amp; solvent free</li> <li>• Quick drying</li> <li>• Easy to apply</li> <li>• NSF 61</li> </ul>	<ul style="list-style-type: none"> <li>• Tank coatings &amp; linings</li> <li>• Secondary containment</li> <li>• Concrete sealing</li> <li>• Truck Bed Liners</li> <li>• Trailer Bed Liners</li> <li>• Utility Vehicle Projection</li> </ul>	Any desired thickness, starting at 20 mil	Paint colors may be added prior to application.
Tank-Flex	<ul style="list-style-type: none"> <li>• 15 year warranty (weathering warranty only)</li> <li>• Flexible</li> <li>• Conforms well to surfaces</li> <li>• Durable</li> <li>• Proven impact resistance</li> <li>• Proven puncture resistance</li> <li>• Outstanding elongation</li> <li>• Excellent cold crack performance</li> <li>• Custom fabrication</li> <li>• Engineered specifically for AST applications</li> <li>• Easy visual inspection</li> </ul>	<ul style="list-style-type: none"> <li>• Above ground storage tanks</li> <li>• Containment berms</li> <li>• Oilfield pit liners</li> <li>• Landfill covers</li> <li>• Canals &amp; channels</li> <li>• Decorative ponds</li> <li>• Outdoor coverings</li> <li>• Brine ponds</li> <li>• Fire ponds</li> <li>• Remediation liners</li> <li>• Farm ponds</li> </ul>	• 30 mil	• Black/Gray
Woven Coated	<ul style="list-style-type: none"> <li>• Flexible</li> <li>• Cost effective</li> <li>• Durable</li> <li>• Light weight</li> </ul>	<ul style="list-style-type: none"> <li>• Mudpit liners</li> <li>• Pond liners</li> <li>• ADC covers</li> <li>• Temporary rain covers</li> <li>• Covers for: machinery, material, soil, manure, salt, beets, etc.</li> </ul>	• 12 mil thru 30 mil	<ul style="list-style-type: none"> <li>• Black</li> <li>• White</li> <li>• Silver</li> </ul>
XR-5	<ul style="list-style-type: none"> <li>• UV stable</li> <li>• Excellent chemical resistance</li> <li>• Oil resistance</li> <li>• Large panel fabrication</li> <li>• Flexible</li> <li>• Reinforced - extremely durable</li> <li>• Low thermal expansion/contraction</li> <li>• High temperature resistance</li> <li>• Superior tensile strength</li> </ul>	<ul style="list-style-type: none"> <li>• Secondary fuel containment</li> <li>• Electrical substations</li> <li>• Baffle curtains</li> <li>• Floating covers</li> <li>• Potable water storage</li> <li>• Clear wells</li> <li>• Waste water impoundments</li> <li>• Tank farms</li> <li>• Landfill liners</li> <li>• Potable water applications</li> <li>• Leachate ponds</li> <li>• Oil booms</li> </ul>	<ul style="list-style-type: none"> <li>• 30 mil</li> <li>• 40 mil</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• White</li> </ul>